Amendments to the Specification:

Please replace the paragraph beginning at page 10, line 9, with the following rewritten paragraph:

--For combinatorial libraries limited to amino acids, the amino acid residue containing at least one S wherein the said S is protected by an orthogonal S-protecting group can be an L- or D-3-mercapto amino acid, including but not limited to L- or D-cysteine or L- or D-penicillamine. For combinatorial libraries including amino acid residues and mimics of amino acid residues, the residue containing at least one S wherein the said S is protected by an orthogonal S-protecting group can be an L- or D-3-mercapto amino acid, including but not limited to L- or D-cysteine or L- or D-penicillamine; 3-mercapto phenylananine; 2-mercaptoacetic acid; 3-mercaptopropionic acid; 2-mercaptopropionic acid; 3-mercapto-3,3,-diethyl proprionic acid; 3-mercapto,3-methyl propionic acid; 2-mercapto,3-methyl propionic acid; 2-mercapto,2-methyl acetic acid; 3-cyclopentamethlene,3-mercaptopropionic acid; or 2-cyclopentamethlene,2-mercaptoacetic acid 3-cyclopentamethylene,3-mercaptopropionic acid; or 2-cyclopentamethylene,2-mercaptoacetic acid.--

PATENT Ser. No. 10/049,718

Please amend Table 1 beginning on Page 39 (line 1) (Table entry PL-1649) as follows:

TABLE 1 Melanocortin Receptor Screening Results: Receptor Binding Assay					% Inhibition	
Compound ID	Metal ion / Linear peptide	Sequence Structure	Conc. Cut off (µM)	MC4-R	MC1-R (B-16)	
PL-1582	ReO[V]	Ac-L-NIe-L-Ala-L-His-D-Phe-L-Cys-L-Arg-L-Trp-NH₂	1	66	93	
PL-1583	ReO[V]	Ac-L-Nle-L-Ala-L-His-L-Cys-D-Phe-L-Arg-L-Trp-NH ₂	1	75	84	
PL-1584	ReO[V]	Ac-L-NIe-L-His-L-Cys-L-His-D-Phe-L-Arg-L-Trp-NH ₂	1	71	96	
PL-1585	ReO[V]	Ac-L-NIe-L-Ala-L-His-L-Phe-L-Cys-L-Arg-L-Trp-NH ₂	1	22	45	
PL-1587	ReO[V]	Ac-L-Nie-L-Arg-L-Arg-D-Nal 2-L-Cys-L-Trp-NH₂	1	98	96	
PL-1592	ReO[V]	Ac-L-NIe-L-Ala-L-Arg-L-His-D-Phe-L-Cys-L-Trp-NH ₂	1	7	19	
PL-1593	ReO[V]	Ac-L-NIe-L-Ala-D-Arg-L-His-D-Phe-L-Cys-L-Trp-NH ₂	1	16	71	
PL-1594	ReO[V]	Ac-L-NIe-L-Ala-L-His-D/L-Atc-L-Arg-L-Cys-L-Trp-NH ₂	1	24	100	
PL-1595	ReO[V]	Ac-L-NIe-L-Ala-L-His-Aic-L-Arg-L-Cys-L-Trp-NH₂ (SEQ ID NO:49)	1	3	60	
PL-1597	ReO[V]	Ac-L-Nie-L-Arg-L-Ala-D/L-Atc-L-Cys-L-Trp-NH ₂	1	11	68	
PL-1598	ReO[V]	Ac-L-Nie-L-Arg-L-Ala-D-Qal(2')-L-Cys-L-Trp-NH ₂	1	9	22	
PL-1605	ReO[V]	Ac-L-NIe-L-Arg-L-Arg-D-Nal 2-L-Cys-L-Trp-NH₂	1	100	100	
PL-1606	ReO[V]	Ac-L-NIe-L-Arg-L-Ala-Aic-L-Cys-L-Trp-NH ₂ (SEQ ID NO:50)	1	63	44	
PL-1607	ReO[V]	Ac-L-NIe-L-Ala-L-His-D-Qal(2')-L-Arg-L-Cys-L-Trp-NH ₂	1	52	100	
PL-1621	ReO[V]	Ac-L-NIe-L-Ala-L-His-Achc-L-Arg-L-Cys-L-Trp-NH ₂ (SEQ ID NO:51)	1	34	36	
PL-1623	ReO[V]	Ac-L-NIe-L-Ala-L-His-D-Sal-L-Arg-L-Cys-L-Trp-NH ₂	1	55	92	
PL-1624	ReO[V]	Ac-L-Nie-L-Arg-L-Ala-D-Sal-L-Cys-L-Trp-NH ₂	1	48	25	
PL-1626	ReO[V]	Ac-L-Nie-L-Arg-L-Trp-D-Nal 2-L-Cys-L-Trp-NH ₂	1	54	66	
PL-1633	ReO[V]	Ac-L-NIe-D-Arg-L-Arg-D-Nal 2-L-Cys-L-Trp-NH ₂	1	87	86	
PL-1633	ReO[V]	Ac-L-NIe-D-Arg-L-Arg-D-Nal 2-L-Cys-L-Trp-NH ₂	1	87	91	
PL-1634	ReO[V]	Ac-L-NIe-L-Arg-D-Arg-D-Nal 2-L-Cys-L-Trp-NH ₂	1	50	42	
PL-1635	ReO[V]	Ac-L-NIe-L-Arg-L-Ala-Acpc-L-Cys-L-Trp-NH2-NH2 (SEQ ID NO:52)	1	43	14	
PL-1636	ReO[V]	Ac-L-NIe-L-Ala-L-His-Acpc-L-Arg-L-Cys-L-Trp-NH ₂ (SEQ ID NO:53)	1	38	20	
PL-1638	ReO[V]	Ac-L-Nie-L-Arg-L-Arg-D-Qal(2')-L-Cys-L-Trp-NH ₂	1	48	67	
PL-1649	ReO[V]	Ac-L-His-Gly-Gly-L-Cys-L-Trp-NH ₂ (SEQ ID NO:54	10	62	19	
PL-1650	ReO[V]	Ac-L-His-D-Phe-L-Arg-L-Cys-L-Trp-NH ₂	10	66	52	
PL-1651	ReO[V]	Ac-L-His-D-Phe-D-Arg-L-Cys-L-Trp-NH ₂	10	58	95	
PL-1652	ReO[V]	Ac-L-His-L-Phe-D-Arg-L-Cys-L-Trp-NH ₂	10	40	11	
PL-1655	ReO[V]	Ac-L-His-L-Phe-L-Arg-L-Cys-L-Trp-NH ₂ (SEQ ID NO:8)	10	51	45	
PL-1658	ReO[V]	Ac-L-NIe-L-Arg-L-Arg-D-Phe(3,4-diCl)-L-Cys-L-Trp-NH ₂	1	100	99	

PATENT Ser. No. 10/049,718

Please amend Table 1 beginning on Page 41 (line 1) as follows:

		TABLE 1	··		
Melanocortin Receptor Screening Results: Receptor Binding Assay				% Inhibition	
Compound	Metal ion / Linear peptide	Sequence Structure	Conc. Cut off (µM)	MC4-R	MC1-R (B-16)
PL-1730	ReO[V]	Ac-L-NIe-L-Arg-L-Nal 1-D-Phe(4-CI)-L-Cys-NH ₂	1	35	39
PL-1731	ReO[V]	Ac-L-NIe-L-Arg-L-Nal 2-D-Phe(4-Cl)-L-Cys-NH ₂	1	63	38
PL-1732	ReO[V]	Ac-L-NIe-L-Arg-L-Trp-D-Phe(4-CI)-L-Cys-NH ₂	1	74	53
PL-1733	ReO[V]	L-Tic-D-Phe(4-CI)-L-Cys-NH ₂	1	8	14
PL-1734	ReO[V]	L-Tic-D-Phe(4-Cl)-L-Trp-L-Cys-NH ₂	1	7	6
PL-1735	ReO[V]	L-Tic-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	13	12
PL-1736	ReO[V]	Ac-D-Ala-L-His-L-Cys-D-(N-Bzl)Phe-L-Arg-L-Trp-NH ₂	1	3	6
PL-1737	ReO[V]	Ac-D-Ala-L-His-L-Cys-L-(N-Bzl)Phe-L-Arg-L-Trp-NH ₂	1	3	48
PL-1738	ReO[V]	Ac-D-Ala-L-His-L-Cys-D-(N-Bzl)Nal 2-L-Arg-L-Trp-NH ₂	1	23	13
PL-1751	ReO[V]	Ac-L-His-L-(N-2'naphalene)Phe-L-Arg-L-Trp-L-Cys-NH ₂ (SEQ ID NO:55) Ac-L-His-L-(N-2'naphthalene)Phe-L-Arg-L-Trp-L-Cys-NH ₂ (SEQ ID NO:55)	1	70	78
PL-1752	ReO[V]	Ac-D-Ala-L-His-L-Cys-L-(N-2'naphalene)Phe-L-Arg-L-Trp-NH ₂ Ac-D-Ala-L-His-L-Cys-L-(N-2'naphthalene)Phe-L-Arg-L-Trp-NH ₂	1	5	29
PL-1753	ReO[V]	Ac-D-Ala-L-His-L-Cys-D-(N-2'naphalene)Phe-L-Arg-L-Trp-NH ₂ Ac-D-Ala-L-His-L-Cys-D-(N-2'naphthalene)Phe-L-Arg-L-Trp-NH ₂	1	22	50
PL-1754	ReO[V]	D-Tic-D-Phe(4-CI)-L-Trp-L-Cys-NH ₂	1	7	4
PL-1755	ReO[V]	Ac-L-Arg-L-Lys-L-Phe-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	40	48
PL-1756	ReO[V]	Ac-L-Nie-L-Lys-L-Phe-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	63	64
PL-1757	ReO[V]	Ac-L-Arg-L-Lys-L-Leu-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	45	38
PL-1758	ReO[V]	Ac-L-Nle-L-Lys-L-Leu-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	94	78
PL-1759	ReO[V]	Ac-L-Arg-L-Phe-L-Lys-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	62	61
PL-1760	ReO[V]	Ac-L-Nie-L-Phe-L-Lys-D-Phe(4-Ci)-L-Cys-L-Trp-NH ₂	1	. 72	84
PL-1761	ReO[V]	Ac-L-Arg-L-Leu-L-Lys-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	16	51
PL-1762	ReO[V]	Ac-L-Nie-L-Leu-L-Lys-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	69	82
PL-1774	ReO[V]	Ac-L-NIe-L-Lys-L-Val-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	83	79
PL-1775	ReO[V]	Ac-L-Nie-L-Lys-L-IIe-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	78	57
PL-1776	ReO[V]	Ac-L-NIe-L-Lys-L-NIe-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	76	33
PL-1777	ReO[V]	Ac-L-NIe-L-Lys-L-Thr-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	79	86
PL-1778	ReO[V]	Ac-L-NIe-L-Lys-L-TIe-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	89	60
PL-1779	ReO[V]	Ac-L-NIe-L-Lys-L-Chg-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	85	71
PL-1780	ReO[V]	Ac-L-NIe-L-Lys-L-Cha-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	77	34

PATENT Ser. No. 10/049,718

Please amend Table 1 beginning on Page 44 (line 1) as follows:

TABLE 1					ibition
Melanocortin Receptor Screening Results: Receptor Binding Assay . Metal ion /			Conc.	70 11111	IDILION
Compound	Linear	Saguanaa Structura		MC4-R	MC1-R
ID	peptide	Sequence Structure	(µM)	INC4-K	(B-16)
PL-1844	ReO[V]	Ac-L-Nle-L-Ala-L-His-D-Phe-L-Arg-L-Trp-D-Cys-L-Trp-NH₂	1	83	98
PL-1845	ReO[V]	Ac-L-NIe-L-Ala-L-His-D-Phe-L-Arg-L-Trp-L-Cys-D-Trp-NH ₂	1	96	99
PL-1846	ReO[V]	Ac-L-NIe-L-Ala-L-His-D-Phe-L-Arg-L-Cys-L-Trp-NH ₂	0.1	4	85
PL-1849	ReO[V]	C ₆ H ₅ -CO-L-Lys-D-Phe-L-Cys-L-Trp-NH ₂	1	12	39
PL-1850	ReO[V]	C ₆ H ₅ -CH=CH-CO-L-Lys-D-Phe-L-Cys-L-Trp-NH ₂	1	-2	24
PL-1851	ReO[V]	Pyridine-3-CO-L-Lys-D-Phe-L-Cys-L-Trp-NH ₂	1	-5	26
PL-1852	ReO[V]	Tetralin-2-CO-L-Lys-D-Phe-L-Cys-L-Trp-NH ₂	1	0	15
PL-1853	ReO[V]	Naphthalene-1-CO-L-Lys-D-Phe-L-Cys-L-Trp-NH ₂	1	9	27
PL-1854	ReO[V]	Naphthalene-2-CO-L-Lys-D-Phe-L-Cys-L-Trp-NH ₂	1	-6	24
PL-1855	ReO[V]	Lys(Z)-Gly-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	0	32
PL-1856	ReO[V]	Lys(Z)-L-Val-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	31	53
PL-1857	ReO[V]	Lys(Z)-L-NIe-D-Phe(4-CI)-L-Cys-L-Trp-NH ₂	1	32	40
PL-1858	ReO[V]	Lys(Z)-L-Leu-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	31	36
PL-1859	ReO[V]	Ac-L-Phe-L-Phe-L-Cys-L-Tic-L-Lys-NH ₂ (SEQ ID NO:64)	1	-8	9
PL-1860	ReO[V]	Ac-L-Phe-L-Phe-L-Cys-L-Inp-L-Lys-NH ₂ (SEQ ID NO:65)	1	0	6
PL-1861	ReO[V]	Ac-L-Phe-L-Phe-L-Cys-4-Abz-L-Lys-NH ₂ (SEQ ID NO:66)	1	-14	0
PL-1862	ReO[V]	Ac-L-Phe-L-Phe-L-Cys-3-Abz-L-Lys-NH ₂ (SEQ ID NO:67)	1	-7	17
PL-1863	ReO[V]	Ac-L-Phe-L-Phe-L-Cys-2-Abz-L-Lys-NH ₂ (SEQ ID NO:68)	1	6	19
PL-1864	ReO[V]	Ac-L-Phe-D-Trp-L-Cys-2-Abz-L-Lys-NH ₂	1	-7	17
PL-1865	ReO[V]	Ac-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-D-Trp-L-Cys-NH ₂	1	40	13
PL-1866	ReO[V]	Bz-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-D-Trp-L-Cys-NH ₂	1	30	16
PL-1867	ReO[V]	Heptanoyl-L-Asn-D-Phe(2-CI)-L-Arg-D-Trp-L-Cys-NH₂	1	60	52
PL-1868	ReO[V]	Heptanoyl-L-Asp-D-Phe(2-CI)-L-Arg-D-Trp-L-Cys-NH ₂	1	-3	5
PL-1869	ReO[V]	Heptanoyl-L-Lys(NH-Bz)-D-Phe(2-Cl)-L-Arg-D-Trp-L-Cys-NH ₂	1	42	25
PL-1870	ReO[V]	Heptanoyl-D-B-Hphe(4-F)-L-Arg-D-Trp-L-Cys-NH ₂	1	11	12
PL-1871	ReO[V]	Heptanoyi-D-B-Hphe(2-CI)-L-Arg-D-Trp-L-Cys-NH₂	1	3	10
PL-1872	ReO[V]	Ac-D-Ala-L-His-L-Cys-D-Phe(2-Cl)-L-Arg-L-Trp-NH ₂	1	79	27
PL-1873	ReO[V]	Ac-L-NIe-L-Ala-L-His-D-Phe-L-Arg-D-Cys-Trp-NH ₂	1	31	92.6
PL-1874	ReO[V]	Ac-L-Nle-L-Ala-L-His-D-Phe-L-Arg-L-Trp-D-Cys-D-Trp-NH ₂	1	90	98
[1-Naphthlene-acetyl-L-Lys-L-Ala-D-Phe(4-CI)-L-Cys-Trp-NH ₂	1	77	34
PL-1875	ReO[V]	1-Naphthalene-acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-Trp-			
		NH ₂			ļ
PL-1876	ReO[V]	2-Naphthlene-acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-Trp-NH ₂	1		_
		2-Naphthalene-acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-Trp-		52	8
DI 4077	D-000	NH ₂		00	24
PL-1877	ReO[V]	3-Bromophenyl acetyl-L-Lys-L-Ala-D-Phe(4-I)-L-Cys-Trp-NH ₂	1	92	31

Please amend Table 1 beginning on Page 46 (line 1) as follows:

		TABLE 1			
Melanocortin Receptor Screening Results: Receptor Binding Assay				% Inhibition	
Compound ID	Metal ion / Linear peptide	Sequence Structure	Conc. Cut off (µM)	MC4-R	MC1-R (B-16)
PL-1905	ReO[V]	2-Chlorophenyl acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	86	31
PL-1906	ReO[V]	4-Chlorophenyl acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-L-Trp-NH₂	1	91	68
PL-1907	ReO[V]	4-Methylphenyl acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	69	44
PL-1908	ReO[V]	Indonyl acetyl-L-Lys-L-Ala-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	33	8
PL-1909	ReO[V]	3-Bromophenyl acetyl-L-Arg-L-Ala-D-Phe(4-Cl)-L-Cys-L-Trp-NH ₂	1	95	32
PL-1910	ReO[V]	Heptanoyl-L-Dpr(Bz)-D-Phe(2-Cl)-L-Arg-D-Trp-L-Cys-NH ₂	1	23	42
PL-1911	ReO[V]	Heptanoyl-L-Dpr(2'-Naphthlene acetyl 2'-Naphthalene acetyl)-D-Phe(2-CI)-L-Arg-D-Trp-L-Cys-NH ₂	1	-6	11
PL-1912	ReO[V]	Heptanoyl-L-Dpr(1'-Admantane carbonyl <u>1'-Adamantane</u> carbonyl)-D-Phe(2-Cl)-L-Arg-D-Trp-L-Cys-NH ₂	1	-3	2
PL-1913	ReO[V]	Heptanoyl-L-Dpr(4'-MePhenyl acetyl)-D-Phe(2-Cl)-L-Arg-D-Trp-L-Cys-NH ₂	1	22	35
PL-1914	ReO[V]	Heptanoyl-L-Dpr(3'-BrPhenyl acetyl)-D-Phe(2-Cl)-L-Arg-D- Trp-L-Cys-NH ₂	1	20	53
PL-1915	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-L-Trp-L-Cys-NH ₂	1	94	72
PL-1916	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-L-His-L-Cys-NH ₂	1	9	44
PL-1917	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-L-Nal 2'-L-Cys-NH ₂	1	94	48
PL-1918	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-L-Bip-L-Cys-NH ₂	1	10	21
PL-1919	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(2-Cl)-L-Arg-L-Pal 3'-L-Cys-NH ₂	_1	17	47
PL-1920	ReO[V]	D-Phe-L-Arg-L-Trp-L-Cys-NH₂	1	52	65
PL-1921	ReO[V]	Ac-D-Phe-L-Arg-L-Trp-L-Cys-NH₂	1	20	25
PL-1922	ReO[V]	Ac-L-NIe-D-Phe-L-Arg-L-Trp-L-Cys-NH ₂	1	25	28
PL-1923	ReO[V]	Ac-L-Nle-L-Ala-D-Phe-L-Arg-L-Trp-L-Cys-NH₂	1	68	70
PL-1924	ReO[V]	Ac-L-Pro-D-Phe-L-Arg-L-Trp-L-Cys-NH ₂	1	44	33
PL-1925	ReO[V]	Heptanoyl-D-Phe-L-Arg-L-Trp-L-Cys-NH₂	1	6	18
PL-1926	ReO[V]	Bz-L-Arg-L-Trp-L-Cys-NH ₂ (SEQ ID NO:69)	11	7	25
PL-1927	ReO[V]	Phenyl acetyl-L-Arg-L-Trp-L-Cys-NH ₂	1	8	28
PL-1928	ReO[V]	3-Phenyl-propanoyl-L-Arg-L-Trp-L-Cys-NH₂	11	8	32
PL-1929	ReO[V]	4-Phenyl-butanoyl-L-Arg-L-Trp-L-Cys-NH₂	1	2	18
PL-1930	ReO[V]	t-Cinnamoyl-L-Arg-L-Trp-L-Cys-NH ₂	1	-20	9
PL-1931	ReO[V]	1-Naphthyl-acetyl-L-Arg-L-Trp-L-Cys-NH ₂	10	92	47
PL-1932	ReO[V]	2-Naphthyl-acetyl-L-Arg-L-Trp-L-Cys-NH₂	1	1	16
PL-1933	ReO[V]	1-Naphthoyl-L-Arg-L-Trp-L-Cys-NH ₂	1	0	14
PL-1934	ReO[V]	2-Naphthoyl-L-Arg-L-Trp-L-Cys-NH₂	1	6	34
PL-1935	ReO[V]	Heptanoyl-L-Arg-L-Trp-L-Cys-NH₂	1	8	39
PL-1936	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(4-F)-L-Arg-L-Trp-L-Cys-NH ₂	1	81	71
PL-1937	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Phe(penta-F)-L-Arg-L-Trp-L-Cys-NH ₂	11	91	65
PL-1938	ReO[V]	Heptanoyl-L-Ser(Bzl)-D-Pal(2)-L-Arg-L-Trp-L-Cys-NH₂	1	16	16

Please replace the paragraph beginning at page 56, line 37, with the following rewritten paragraph:

--The library design was based on the tetrapeptide message sequence, His-Phe-Arg-Trp (6-9 sequence) (SEQ ID NO:1), of α-MSH. This sequence exists as a reverse turn, making it suitable for conversion into a metallopeptide format of this invention. In this approach metallopeptides were designed around a tripeptide N₃S₁ MBD designed for a rhenium metal ion. The MBD was derivatized to yield the pentapeptide Ac-His-Phe-Arg-Cys-Trp-NH₂ (SEQ ID NO:8) as a putative candidate for melanocortin ("MC") receptors. Further refinements in the structure were made in response to other considerations, including the chirality of amino acid side chains, yielding a template structure

Ac-His-D-Phe-Arg-Cys-Trp-NH₂. The structure of this peptide after binding to rhenium is: